



	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 20.67	\$ 25.47	\$ 31.99	\$ 95.29
Min Plant	\$ 15.94	\$ 20.75	\$ 25.73	\$ 32.08
Max Plant	\$ 20.59	\$ 25.47	\$ 31.89	\$ 95.29
Average Plant	\$ 18.29	\$ 23.15	\$ 28.23	\$ 42.68




	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 21.76	\$ 25.29	\$ 30.05	\$ 76.92
Min Plant	\$ 15.77	\$ 21.87	\$ 25.35	\$ 30.08
Max Plant	\$ 21.64	\$ 25.23	\$ 30.02	\$ 76.92
Average Plant	\$ 18.24	\$ 23.71	\$ 27.59	\$ 38.69


Source - EUCG Data as of 5/8/07




	1st Quartile	2nd Quartile	Average
2002	\$ 18.96	\$ 20.72	\$ 29.76
2003	\$ 19.09	\$ 23.59	\$ 24.51
2004	\$ 19.26	\$ 22.53	\$ 24.91
2005	\$ 19.62	\$ 24.73	\$ 26.64
2006	\$ 20.67	\$ 25.47	\$ 28.01




	1st Quartile	2nd Quartile	Average
2001-2003	\$ 19.98	\$ 21.79	\$ 22.89
2002-2004	\$ 20.20	\$ 22.97	\$ 23.85
2003-2005	\$ 20.44	\$ 24.70	\$ 25.67
2004-2006	\$ 21.31	\$ 25.11	\$ 26.95



	1st Quartile \$/MWh	2nd Quartile \$/MWh	Average \$/MWh	1st Quartile CapFac	2nd Quartile CapFac	Average CapFac
2002	\$ 19.33	\$ 20.72	\$ 29.76	94.90%	92.30%	87.93%
2003	\$ 19.09	\$ 23.59	\$ 24.51	92.81%	90.03%	84.57%
2004	\$ 19.43	\$ 22.53	\$ 24.91	96.27%	90.40%	87.02%
2005	\$ 19.68	\$ 24.73	\$ 26.64	94.30%	91.12%	86.33%
2006	\$ 20.75	\$ 25.47	\$ 28.01	96.53%	91.90%	90.69%




	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 17.64	\$ 20.94	\$ 25.20	\$ 43.78
Min Plant	\$ 12.85	\$ 17.82	\$ 20.96	\$ 25.38
Max Plant	\$ 17.46	\$ 20.94	\$ 25.02	\$ 43.78
Average Plant	\$ 15.75	\$ 19.49	\$ 22.57	\$ 32.20




	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 16.32	\$ 21.20	\$ 27.68	\$ 91.00
Min Plant	\$ 11.90	\$ 16.61	\$ 21.44	\$ 27.75
Max Plant	\$ 16.02	\$ 21.20	\$ 27.60	\$ 91.00
Average Plant	\$ 14.09	\$ 18.58	\$ 24.08	\$ 38.65

Source - EUCG Data as of 5/8/07





	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 13.11	\$ 16.53	\$ 21.05	\$ 39.49
Min Plant	\$ 8.60	\$ 13.15	\$ 16.55	\$ 21.49
Max Plant	\$ 13.07	\$ 16.53	\$ 20.60	\$ 39.49
Average Plant	\$ 11.60	\$ 14.97	\$ 18.29	\$ 28.18



	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 20.71	\$ 33.19	\$ 52.18	\$ 334.06
Min Plant	\$ 7.48	\$ 21.25	\$ 35.32	\$ 52.55
Max Plant	\$ 20.17	\$ 33.19	\$ 51.82	\$ 334.06
Average Plant	\$ 14.59	\$ 26.83	\$ 42.70	\$ 88.12

Source - EUCG Data as of 5/8/07






	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 3.97	\$ 4.29	\$ 4.68	\$ 7.72
Min Unit	\$ 2.00	\$ 4.00	\$ 4.29	\$ 4.68
Max Unit	\$ 3.94	\$ 4.29	\$ 4.68	\$ 7.72
Average Unit	\$ 3.47	\$ 4.16	\$ 4.46	\$ 5.22

Source - EUCG Data as of 5/8/07


Annual Staffing per Installed Capacity

2006




	1st Quartile	2nd Quartile	3rd Quartile
Total On/Off Site+Baseline	0.56	0.70	0.89
Onsite Employees	0.45	0.56	0.66
Offsite Employees	0.02	0.04	0.06
Baseline Contractors	0.03	0.09	0.15


Source - EUCG Data as of 5/8/07




	1st Quartile	2nd Quartile	3rd Quartile
Total On/Off Site+Baseline	738	907	1,156
Onsite Employees	578	703	962
Offsite Employees	27	43	82
Baseline Contractors	60	141	172

Source - EUCG Data as of 5/8/07





Onsite Employees
Offsite Employees
Baseline Contractors



	1st Quartile	2nd Quartile	3rd Quartile	4th Quartile
Value	\$ 265,395	\$ 311,924	\$ 342,539	\$ 519,773
Min Plant	\$ 205,488	\$ 265,702	\$ 314,299	\$ 344,798
Max Plant	\$ 265,089	\$ 311,924	\$ 340,280	\$ 519,773
Average Plant	\$ 243,971	\$ 287,300	\$ 325,885	\$ 384,152